


Part Number System



Main Series	Sub-Series
JFA	0
JFB	0
JFC	0
JFD	0
JFE	0
JFF	0
JFG	A
	B
	C
	D
JFH	0
JFJ	0
	1
JFL	0
JFM	0
JFN	0
JFO	0
JFP	0
JFQ	0
JFR	A
	R
JFS	Refer spec.
JFT	0
JFV	0

Voltage	Code
50V	1H
63V	1J
100V	2A
160V	2C
200V	2D
250V	2E
400V	2G
630V	2J
1,000V	3A
1,600V	3C
2,000V	3D
3,000V	3F
250VAC	A3
275VAC	A1
300VAC	A2
305VAC	A8
310VAC	A9
400VAC	A4
440VAC	A5

Capacitance	Code
10pF	100
100pF	101
1000pF	102
0.01uF	103
0.1uF	104
1uF	105
10uF	106

Tol.	Code
±1%	F
±2%	G
±3%	E
±5%	J
±10%	K

Pitch	Code
Axial	000
3.5	035
4.0	040
4.5	045
5.0	050
6.0	060
7.0	070
8.0	080
8.5	085
9.0	090
9.5	095
10.0	100
10.5	105
11.0	110
11.5	115
12.0	120
12.5	125
13.0	130
15.0	150
15.5	155
20.0	200
20.5	205
21.0	210
22.5	225
26.5	265
27.5	275


Lead Length	Code
Standard.	000
Cut Lead Length	
3.5	035
4.0	040
4.5	045
5.0	050
6.0	060
Long Lead Length	
25	250
30	300
35	350

Packing	Code
Ammo	A
Bulk	B
Tape & Reel	R



Radial Aluminum Electrolytic Capacitors


Part Number System





Large Can Aluminum Electrolytic Capacitors

Part Number System



jb® SMD - Aluminum Electrolytic Capacitors

Part Number System

Series			Voltage		Capacitance			Tol.	Case Size					
J	C	S	1	C	2	2	0	M	0	5	0	0	5	4
<i>jb</i> Series			Voltage	Code	Cap(μ F)	Code		Tolerance (%)	Code		Case Size	Code		
JCS			4	0G	0.1	0R1		$\pm 10\%$	K		4x5.4	040054		
JCK			6.3	0J	0.22	R22		$\pm 20\%$	M		6.3x5.4	063054		
			10	1A	1	010		+30-10	Q		8x10.5	080105		
			16	1C	2.2	2R2		+50-10	T		10x105	100105		
			25	1E	10	100					12.5x13.5	125135		
			35	1V	22	220								
			50	1H	100	101								
			63	1J	220	221								
			80	1K	1000	102								
			100	2A	2200	222								
					10000	103								